

L Number	Hits	Search Text	DB	Time stamp
-	30	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn.	USPAT	2003/11/20 15:19
-	668	451/5.cor.	USPAT	2003/11/20 13:58
-	192	451/6.cor.	USPAT	2003/11/17 16:04
-	16	451/6.cor. and 356/\$.ccls.	USPAT	2003/11/17 11:26
-	24	451/6.ccls. and 356/\$.cor.	USPAT	2003/11/17 11:45
-	63	451/6.cor. and diameter	USPAT	2003/11/17 13:23
-	28	451/6.cor. and diameter and laser	USPAT	2003/11/17 13:23
-	1	451/6.cor. and diameter and laser and (crown or apex or zenith)	USPAT	2003/11/17 13:33
-	1	(356/625,635 451/6 250/559.24).cor. and diameter and laser and (crown or apex or zenith) and journal	USPAT	2003/11/17 13:37
-	15	5015867.URPN.	USPAT	2003/11/17 13:35
-	7	(356/625,635 451/6 250/559.24).ccls. and diameter and laser and (crown or apex or zenith) and cylind\$	USPAT	2003/11/17 13:51
-	9	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and lens and laser	USPAT	2003/11/17 13:49
-	3	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and lens and scatter\$	USPAT	2003/11/17 13:49
-	58	(356/625,635 451/6 250/559.24).ccls. and (diameter or radius) and lens and scatter\$	USPAT	2003/11/17 13:55
-	26	(356/625,635 451/6 250/559.24).ccls. and (diameter or radius) and lens and scatter\$ and cylind\$	USPAT	2003/11/17 13:54
-	0	(356/625,635 451/6 250/559.24).ccls. and (diameter or radius) and lens and scatter\$ and cylind\$	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 13:54
-	197	(356/625,635 451/6 250/559.24).ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 13:54
-	2	451/5.cor. and lens and scatter\$ and cylind\$	USPAT	2003/11/17 13:55
-	144	(356/625,635).cor.	USPAT	2003/11/17 13:55
-	65	(356/635).cor.	USPAT	2003/11/17 13:55
-	8	(356/635).cor. and scatter\$	USPAT	2003/11/17 13:56

-	10	(356/635).cor. and scatter\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/11/17 14:03
-	1	5291273.URPN.	USPAT	2003/11/17 14:02
-	6	(356/625).cor. and scatter\$ and cylind\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:08
-	13	(356/602).cor. and scatter\$ and cylind\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:09
-	0	(356/602).cor. and (scatter\$ with (rough\$ or texture)) and cylind\$ and (diameter or radius)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:09
-	1	(356/602).ccls. and (scatter\$ with (rough\$ or texture)) and cylind\$ and (diameter or radius)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:29
-	15	4893025.URPN.	USPAT	2003/11/17 14:10
-	1	(356/602).ccls. and (scatter\$ with (rough\$ or texture)) not cylind\$ not(diameter or radius)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:31
-	60	(356/602).cor. and laser and (cylind\$ or diameter or radius)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:32
-	15	("4040738" "4125317" "4248532" "4432229" "4531837" "4674869" "4678920" "4679447" "4798963" "4798964" "4904939" "4936529" "5278633" "5402238" "5477371").PN.	USPAT	2003/11/17 14:56
-	12	4531837.URPN.	USPAT	2003/11/17 15:03
-	2	5414517.URPN.	USPAT	2003/11/17 15:07
-	1	5800247.URPN.	USPAT	2003/11/17 15:09
-	54	451/6.cor.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 16:47
-	1	356/631.ccls. and laser and (scatter\$ with (rough\$ or texture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 11:03
-	18	356/631.ccls. and laser and scatter\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:03
-	283	(356/337-343).ccls. and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:33

-	222	(356/337-343).ccls. and laser and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:05
-	21	(356/337-343).ccls. and laser and thickness.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:31
-	87	(356/600).ccls. and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:33
-	16	(356/600).ccls. and thickness.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:35
-	210	(356/600).ccls. not thickness.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:35
-	126	(356/600).ccls. and laser not thickness.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:35
-	69	(356/600).ccls. and laser not thickness.ab. not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:37
-	18	(356/600).ccls. and laser and thickness not thickness.ab. not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:50
-	312	(250/559.22,559.23,559.24,559.27,).ccls. and laser not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:03
-	50	(250/559.23).ccls. and laser not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 17:51
-	30	(250/559.22,559.23,559.24,559.27,).ccls. and laser and roughness not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:05
-	19	(250/559.22,559.23,559.24,559.27,).ccls. and laser and roughness and scatter\$ not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 18:05
-	14	(356/602,631 250/23).ccls. and (triangulation with intensity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 11:15
-	73	(356/602,631 250/23).ccls. and triangulation and intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 11:21

-	3	(356/602,631 250/23).ccls. and triangulation and diameter.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/11/20 11:58
-	5	("4226536" "5289261" "5774220" "5815274" "5930734").PN.	USPAT	2003/11/20 11:37
-	1	5930734.URPN.	USPAT	2003/11/20 11:39
-	7	("3870890" "4432648" "5383022" "5422861" "5539675" "5768154" "5815274").PN.	USPAT	2003/11/20 11:39
-	8	(356/602,631 250/23).ccls. and triangulation and diameter and elongat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/11/20 12:05
-	18	(356/602,631 250/23).ccls. and triangulation and diameter and shaft	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2003/11/20 12:05
-	49	(356/602,631).cor. and triangulation	USPAT	2003/11/20 14:03
-	0	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and trianulat\$	USPAT	2003/11/20 14:06
-	15	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and laser	USPAT	2003/11/20 14:06
-	13	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and laser and diameter	USPAT	2003/11/20 14:07
-	11	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and laser and diameter and (comput\$ or processor or processing)	USPAT	2003/11/20 14:18
-	16	250/559.23.cor. and laser and diameter and (comput\$ or processor or processing)	USPAT	2003/11/20 14:29
-	10	250/559.23.cor. and triangulat\$	USPAT	2003/11/20 14:21
-	1	("5278633").pn.	USPAT	2003/11/20 14:26
-	0	("5278633").pn. and laser and (computer or processor)	USPAT	2003/11/20 14:26
-	108	(356/602,631 250/559.23).ccls. and laser and diameter and (comput\$ or processor or processing)	USPAT	2003/11/20 14:30

-	111	(356/602,631 250/559.23).ccls. and laser and diameter and (comput\$ or processor or processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 14:30
-	73	(356/602,631 250/559.23).ccls. and laser and diameter and (comput\$ or processor or processing) not (semiconductor or wafer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 14:31
-	16	("4184175" "4575805" "4721388" "4764012" "4838696" "5051823" "5291270" "5369490" "5424836" "5521707" "5548405" "5671055" "5671056" "5737085" "5760906" "6086366").PN.	USPAT	2003/11/20 14:31
-	4	5521707.URPN.	USPAT	2003/11/20 14:40
-	10	("3918816" "4315688" "4544268" "4585350" "4598998" "4644394" "4717240" "4721388" "4728193" "4746792").PN.	USPAT	2003/11/20 14:40
-	15	(2,481,993 3,060,421 3,258,688 3,490,037 3,514,703 3,749,500 3,802,774 3,897,156 4,045,727 4,053,237 4,201,476 4,501,095 4,503,327 4,509,295 4,623,835 4,693,038 4,775,236 4,854,707 4,880,991 4,931,658 4,991,308 5,175,595 5,480,342 5,625,446 5,703,362 5,717,210 5,746,644 5,800,247 5,841,546 6,062,948).pn. and laser	USPAT	2003/11/20 15:20